

V

Date _____

Zip Code

Range — — — or:

Distance and direction from nearest town, community, road junction or other reference point

Test
well

Other:

Other:

150
Estimated
depth


SIGNATURE of Drilling Contractor

Completion Date _____

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

CARRS Well Serv 301 RT1 Box 150 BUCKATUNNA MS 8-29-83
 DRILLING CONTRACTOR License Number Address Zip Code Date
Wmfred Lopez RT1 Box 685 CHATTAHOOCHEE MS
 PROPERTY OWNER Address (mailing) Zip Code
Washington 8 C.W. 5N 2W
 WELL LOCATION County Section 1/4 Section Township Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:



Private supply



Public supply



Industrial supply



Test well



Irrigation

Other: _____

8-29-83
 Estimated starting date

Drilling method: (check)

Cable tool

☒ Rotary


☐ Jetted

☐ Bored

Other: _____

2'
 Diameter of well

60'
 Estimated depth


 SIGNATURE of Drilling Contractor

Total Depth 114'

Completion Date 8-29-83

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level							
2	Top Soil			Pump	Type:	<input type="checkbox"/> Turb.	<input type="checkbox"/> Subm.	<input checked="" type="checkbox"/> Jet	<input type="checkbox"/> Cyl.;	Other: _____	
2	SAND				Intake depth	100	H.P.	2	Yield	7 gpm	
4	Yellow Clay			Capacity	Tested by:	<input checked="" type="checkbox"/> Pumping	<input type="checkbox"/> air lift	<input type="checkbox"/> bailer	<input type="checkbox"/> none		
9	Yellow & white Clay				Measured Static Water Level	77	ft.				
4	Bluish Clay				Measured pumping level	77	ft. after				
11	Blue Clay				2	hrs. pumping	8	gpm			
2	Chalky Yellow Clay				Development time prior to testing	1	hrs.				
1	Pink & white Clay			Finish	<input type="checkbox"/> Open hole	<input checked="" type="checkbox"/> Screened	<input type="checkbox"/> Slotted pipe	<input type="checkbox"/> Gravel pk.			
3	Med Yellow SD				Interval(s) screened:	104	to	114	ft.		
3	PK. G/L & white Clay								ft.		
3	GRAY CLAY				Packer(s) set at		and		ft.		
2	Yellow Clay				Screen: diam.	2"		Size openings	8 x 6 slot		
1	Med Yellow SD										
2	Yellow Clay										
3	Blue Clay										
3	PK-Blue & white Clay										
32	PK-Blue Clay				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	
9	Blue Clay			0-104		2"	PVC	Belled	0-20		
1	Fine white SD										
2	Med to fine white SD										
2	Blue Clay										
7	Med white SD (Cut off of SD)										
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)						
					Other: CMF						
					*Pipe: Black; PVC; Galv.; Other: PVC						
					Water analysis obtained? (check)	<input type="checkbox"/> No	<input type="checkbox"/> Bacteriological	<input type="checkbox"/> Chemical			
					Analysis by:	<input type="checkbox"/> Ala Geol. Surv.	<input type="checkbox"/> U.S. Geol. Surv.	<input type="checkbox"/> Ala Health Dept.	<input type="checkbox"/> Private lab.		
				Signed: _____							

*For deeper well please attach continuation sheet.

ADPH-F-AWWSB-1/Rev. 7-81

REPORT OF DRILLED WELL

Drilling Contractor: Porter Drilling & Sup 316 Rt 1 Box 106 Haynesboro, Miss. June 28/1982
 License Number: Henry Mapp Rt 1 Box 77 Tibbee, Ala.
 Address: 2 Washington Zip Code: 31 S.W 5N 2W
 PROPERTY OWNER: 1 1/2 miles east Tibbee
 WELL LOCATION: 1 1/2 miles east Tibbee
 Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

June 29/1982

Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2" Diameter of well

180' Estimated depth

James A. Porter
SIGNATURE of Drilling Contractor

Total Depth 141'

Completion Date June 30, 1982

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0-13	sandy clay			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
13-24	sandy clay				Intake depth 87' H.P. 1 1/2 Yield 8 gpm				
24-40	clay			Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
40-100	blue clay				Measured Static Water Level 75' ft.				
100-130	clay & sand				Measured pumping level 75' ft. after 3 hrs. pumping 15 gpm				
130-141	med. sand				Development time prior to testing 3 hrs.				
				Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: 136 to 141 ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. 2" ; Size openings 6 in. S.S.				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					0-136	2"	P.V.C	schert	0-20
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical			
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed James A. Porter				

*For deeper well please attach continuation sheet.

ADPH-F-AWWSB-1/Rev. 7-81

REPORT OF DRILLED WELL

DRILLING CONTRACTOR

License Number

Address

Zip Code

Date:

PROPERTY OWNER

Address (mailing)

Zip Code

WELL LOCATION (

County

Section

1/4 Section

Township

Range — — — or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

~~Private supply~~

Public supply

**Industrial
supply**

Test well

Irrigation

Other: _____

Aug 9 1978

Drilling method:
(check)

Cable tool
Rotary
Jetted
Bored

Other:

4" X 2"
Diameter of well

Diameter of well

75'
Estimated

depth

James A. Porter
SIGNATURE of Drilling Contractor

SIGNATURE of Drilling Contractor

Total Depth 50'

Completion Date Aug 18 1978

Inter- val	Description of cuttings	Inter- val	Description of cuttings	Completion date: report depths below ground level						
0-15	red clay			Pump	Type:	<input type="checkbox"/> Turb.	<input type="checkbox"/> Subm.	<input checked="" type="checkbox"/> Jet	<input type="checkbox"/> Cyl.:	Other:
15-27	blue clay				Intake	depth	31'	H.P.	1	Yield
27-35	sandy clay			Capacity	Tested by:	<input checked="" type="checkbox"/> pumping	<input type="checkbox"/> air lift	<input type="checkbox"/> bailer	<input type="checkbox"/> none	
35-41	sand				Measured Static Water Level	15' ft.				
41-42	clay & sand				Measured pumping level	15' ft. after				
42-50	clean white sand				Development time prior to testing	2 hrs. pumping 20 gpm				
50-55	red sand									
	stop on clay									
				Finish	<input type="checkbox"/> Open hole	<input checked="" type="checkbox"/> Screened	<input type="checkbox"/> Slotted pipe	<input type="checkbox"/> Gravel pk.		
					Interval(s) screened:	45' to 50' ft.				
					Packer(s) set at	and				
					Screen: diam.	2" ; Size openings 6 slot				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	
					0-20	4"	PVC		0-20	
					0-45	2"	PVC	solver	top	
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)					
					Other:					
					*Pipe: Black; PVC; Galv.; Other:					
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
					Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed: James A. Porter					

GEOLOGICAL SURVEY
STATE
OIL AND GAS BOARD

AUG 21 10 39 AM '78

RECEIVED

*For deeper well please attach continuation sheet.

Signed: James A. Porter

REPORT OF DRILLED WELL

V Porter Drilling & Inc. 316 515 Azalea Dr Haynesboro Miss April 15, 1978
 DRILLING CONTRACTOR License Number Address Zip Code Date
Riley Clark Rt 1 Box 97 Tibbee, Ala.
 PROPERTY OWNER Address (mailing) Zip Code
Washington 22 5N 2W
 WELL LOCATION County Section 1/4 Section Township Range ---or:
5 miles SE Chatom, Ala

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

April 19, 1978

Estimated starting date

Drilling method: (check)

☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2"
Diameter of well

75'
Estimated depth

James A. Porter
SIGNATURE of Drilling Contractor

Total Depth 75'

Completion Date April 18, 1978

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level																				
0-20	red clay			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>62'</u> H.P. <u>1</u> Yield <u>12</u> gpm Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>30'</u> ft. Measured pumping level <u>30'</u> ft. after <u>1</u> hrs. pumping <u>15</u> gpm Development time prior to testing <u>1</u> hrs.																				
20-65	sand & clay																							
65-75	med coarse sand stagnant while still in sand																							
				Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>70'</u> to <u>75'</u> ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>8 slot</u>																				
				Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td>0-70</td> <td>2"</td> <td>P.V.C</td> <td>solder</td> <td>0-70</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	0-70	2"	P.V.C	solder	0-70										
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings		Interval grouted																			
0-70	2"	P.V.C	solder	0-70																				
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.																				
				Signed: <u>James A. Porter</u>																				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

✓ Porter Drilling & Sup. 316 License Number 515 Agalea Dr Address Waynesboro, Miss Date Oct. 29, 1979
 DRILLING CONTRACTOR
Mrs Leassie Busby Address (mailing) Box 143 Tibbee, Ala. Zip Code _____
 PROPERTY OWNER

Washington County 22 Section NE Township 5N Range 2W
 WELL LOCATION
6 miles SE Chatom, Ala.

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

Nov. 1, 1979
 Estimated starting date

Drilling method: (check)

☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4" x 2"
 Diameter of well

100'
 Estimated depth

James A. Porter
 SIGNATURE of Drilling Contractor

Total Depth 75'

Completion Date Nov. 6

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0-33	clay			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
33-57	clay some sand				Intake depth <u>42</u> H.P. <u>1</u> Yield <u>12</u> gpm				
57-75	sand				Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
				Capacity	Measured Static Water Level <u>31'</u> ft.				
					Measured pumping level <u>31'</u> ft. after				
					<u>2</u> hrs. pumping <u>20</u> gpm				
				Finish	Development time prior to testing <u>2</u> hrs.				
					<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: <u>70</u> to <u>75'</u> ft.				
				Casing	to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. <u>2"</u> ; Size openings <u>80 to 100 S.S.</u>				
				Quality	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					0-20	4"	P.V.C		0-20
					0-70'	2"	P.V.C	solved	Top
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
					Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed: <u>James A. Porter</u>				

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD
 NOV 27 8 56 AM '79
 RECEIVED

REPORT OF DRILLED WELL

DRILLING CONTRACTOR CAPR well service 301 Rt 1 Box 150 39322-4-1-78
License Number _____ **Address** _____ **Zip Code** _____ **Date** _____

PROPERTY OWNER Jay Copeland Tibbie Alh
Address (mailing) _____ **Zip Code** _____

WELL LOCATION Washington 21 SE 5N 2W
County _____ **Section** _____ **1/4 Section** _____ **Township** _____ **Range** _____ **or:** _____
Howard Town Babb's Church second Rd on Right second Drive
Distance and direction from nearest town, community, road junction or other reference point Right

WELL WILL BE USED FOR:

☒ Private supply
☐ Public supply
☐ Industrial supply
☐ Test well
☐ Irrigation
Other: _____

4-1-78
Estimated starting date

Drilling method: (check)
☐ Cable tool
☒ Rotary
☐ Janned
☐ Bored
Other: _____

2" 80'
Diameter of well **Estimated depth**

Gilbert Carr
SIGNATURE of Drilling Contractor

Total Depth 70'

Completion Date 4-3-78

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
1	top soil			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>38'</u> H.P. <u>1</u> Yield <u>8</u> gpm
3	yellow sand			Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>23</u> ft. Measured pumping level <u>23</u> ft. after <u>1</u> hrs. pumping <u>15</u> gpm Development time prior to testing <u>1/2</u> hrs.
11	yellow clay			Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input checked="" type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>60'</u> to <u>70'</u> ft.; to _____; to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>8/64"</u>
8	1/4" Brown Rock + Creamy Clay			Casing Interval cased <u>0-60</u> Diam. (Inches) <u>2"</u> *Type pipe <u>PVC</u> *Type couplings <u>Belled</u> Interval grouted <u>0-20</u> <u>2 1/4" SK</u>
23	very fine white sd			*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: <u>LM+</u> *Pipe: Black; PVC; Galv.; Other: <u>PVC</u>
2	white clay			Quality Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____
10	fine white sd			
5	med white sd			
10	coarse white sd			

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

Drilling Contractor: Porter Drilling & Sup. 316 License Number: 515 Address: Agala Dr Haywood Miss Date: Nov. 26, 1978
 Property Owner: Charles Busby Address (mailing): Box 78 Talle, Ala. Zip Code: _____
 Well Location: Washington County: 22 Section: NW Township: 5N Range: 2W
5 miles SE Chatham Ala.

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:



Private supply



Public supply



Industrial supply



Test well



Irrigation

Other: _____

Nov 28 1978

Estimated/starting date

Drilling method: (check)

Cable tool

Rotary

Jetted

Bored

Other: _____

4" X 2"

Diameter of well

80'

Estimated depth

James A. Porter
SIGNATURE of Drilling Contractor

Total Depth 84'

Completion Date Nov. 29, 1978

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-35	red clay			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>60'</u> H.P. <u>1</u> Yield <u>12</u> gpm
35-47	blue clay			
47-54	sand & clay			Capacity Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>35'</u> ft. Measured pumping level <u>35'</u> ft. after <u>2</u> hrs. pumping <u>15</u> gpm Development time prior to testing <u>2</u> hrs.
54-60	loose sand			
60-84	med. firm sand			Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>79'</u> to <u>84'</u> ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>6 shot S.S.</u>
	stoped on sand & clay			
				Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted <u>0-79</u> <u>2"</u> <u>PVC</u> <u>socket</u> <u>top</u> <u>0-20</u> <u>4"</u> <u>P.V.C</u> <u></u> <u>0-20</u>
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signed: <u>James A. Porter</u>

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD

DEC 18 9 13 AM '78

RECEIVED

REPORT OF DRILLED WELL

394

DRILLING CONTRACTOR CARRS well Serv 301 **License Number** RT1 Box 150 Buckatunga MS **Address** 5-31-77 **Date**
PROPERTY OWNER Ralph Clark Tibbie ALA **Address (mailing)** 2 Wash 21 ME 5 N 2 W **Zip Code**

WELL LOCATION Tibbie to Howardstown Baptist Church First Rd on Right First NSE on Left
County Wash **Section** 21 **1/4 Section** 5 N **Township** 2 W **Range** 2 **or** 2

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

5-31-77
Estimated starting date

Drilling method: (check)

☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2"
Diameter of well

80
Estimated depth

Gilbert Carr
SIGNATURE of Drilling Contractor

Total Depth 77

Completion Date 5-31-77

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level																				
1	Top Soil			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>60</u> H.P. <u>1</u> Yield <u>7</u> gpm																				
6	Yellow Clay																							
11	Yellowish white clay			Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>32</u> ft. Measured pumping level <u>32</u> ft. after <u>1</u> hrs. pumping <u>10</u> gpm Development time prior to testing <u>1/2</u> hrs.																				
16	White SD																							
13	White & yellow clay			<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input checked="" type="checkbox"/> Slotted pipe <input type="checkbox"/> <u>32</u> pk. Interval(s) screened: <u>72</u> to <u>77</u> ft. to _____; to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings: <u>8 slot</u>																				
10	Blue Clay																							
10	White SD			<table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td>0-72</td> <td>2"</td> <td>PVC</td> <td>Bellad</td> <td>0-20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	0-72	2"	PVC	Bellad	0-20										
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings		Interval grouted																			
0-72	2"	PVC	Bellad	0-20																				
1	Blue Clay			*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: <u>Cm4</u> *Pipe: Black; PVC; Galv.; Other: <u>PVC</u>																				
9	Med white SD																							
1	Blue Clay			Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____																				
	Still in same																							

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD
 JUL 13 11 38 AM '77

RECEIVED

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

395

CARRS well SERV 301 RTI Box 150 BUCKATUNNA MS39322 6-1-77

DRILLING CONTRACTOR License Number Address Zip Code Date

John CLARK **Tibbie ALA**
PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION **Washington** County **28** Section **ML** 1/4 Section **5N** Township **26** Range ---or:
Tibbie to Howard town Baptist Church **First Rd on Right END OF Rd**
Distance and direction from nearest town, community, road junction or other reference point **IN TRAILER**

WELL WILL BE USED FOR:



Private supply



Public supply



Industrial supply



Test well



Irrigation

Other: _____

6-1-77
Estimated starting date

Drilling method: (check)

Cable tool

☒ Rotary

Jetted

Bored

Other: _____

2"

Diameter of well

35

Estimated depth

Gilbert Carr

SIGNATURE of Drilling Contractor

Total Depth **54'**

Completion Date **6-2-77**

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
1	Top Soil			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth 30 H.P. 1/2 Yield 4 gpm Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level 17 ft. Measured pumping level 17 ft. after 1 hrs. pumping 15 gpm Development time prior to testing 1/2 hrs.
6	Yellow sandy clay			
5	Coarse yellow sd			
3	Yellow clay			
3	White clay			
28	Fine fine white sd			Finish <input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input checked="" type="checkbox"/> Slotted pipe <input type="checkbox"/> 30 pk. Interval(s) screened: 49 to 54 ft. to _____; to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam 2" ; Size openings 8
2	Coarse white sd			
5	Coarse white sd			
				Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted 0-49 2" PVC Bellnd 0-18
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: CMt *Pipe: Black; PVC; Galv.; Other: PVC
				Quality Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
STATE
OF ALABAMA

JUL 13 1977

RECEIVED

REPORT OF DRILLED WELL

160

✓ Carv's Well Ser. 301 Buckatuna, Ms. 39322 9/25/76
 DRILLING CONTRACTOR License Number Address Zip Code Date
Ray Clarke Libbie, Al.
 PROPERTY OWNER Address (mailing) Zip Code
Washington 21 5N 2W
 WELL LOCATION County Section 1/4 Section Township Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

9/24/76
Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2'
Diameter of well

90'
Estimated depth

Liebert Carv
SIGNATURE of Drilling Contractor

Total Depth 90'

Completion Date 9-25-76

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
2	Top Soil			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
5	Yellow Clay w/ Brown Rock			Intake depth <u>80</u> H.P. <u>1</u> Yield <u>7</u> gpm
2	Yellow Clay			Tested by: <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
1	Pink & white Clay			Measured Static Water Level <u>58</u> ft.
3	White Clay			Measured pumping level <u>58</u> ft. after <u>1</u> hrs. pumping <u>12</u> gpm
7	Med white SD			Development time prior to testing <u>1/2</u> hrs.
23	Coarse white SD			<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input checked="" type="checkbox"/> Gravel pk.
10	White Clay			Interval(s) screened: <u>85</u> to <u>90</u> ft.
22	Med white SD			_____ to _____; _____ to _____ ft.
10	Pack Gravel still in			Packer(s) set at _____ and _____ ft.
	SAME when quit Drilling			Screen: diam. <u>1 1/4</u> ; Size openings <u>7 5/16</u> in.
				Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted
				<u>85</u> <u>2"</u> <u>PVC</u> <u>Bell</u> <u>0-20</u>
				<u>SCH 40</u> <u>3 1/4</u> <u>SCH</u>
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: <u>CMF</u>
				*Pipe: Black; PVC; Galv.; Other: <u>PVC</u>
				Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signed: _____

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

FRYFOGLE Water well 408 RT9, Box 3 Lurdale 3852 9/30/88
 DRILLING CONTRACTOR License Number Address Zip Code Date

PROPERTY OWNER Jones, J. Yocom Address (mailing) Zip Code

WELL LOCATION Washington County Section 22 T5N R2W
 Distance and direction from nearest town, community, road, junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well
☐ Irrigation Other: _____

10/1/88
 Estimated starting date

Drilling method: (check)
☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored
 Other: _____

2" Diameter of well
 43' Estimated depth

Signature of Drilling Contractor
 Pal R. Fryfogel

Total Depth _____

Completion Date 10/3/88

Interval	Description of cuttings	Interval	Description of cuttings
0-5	Top Soil		
5-10	red clay		
10-20	Sandy Red Clay		
20-25	Sand, Gravel		
25-35	Clay		
35-36	Rock (Sand)		
36-43	Med. Tan Water Sand		

Completion date: report depths below ground level				
Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____	Intake depth 38'	H.P. 1 1/2	Yield 15 gpm
Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none	Measured Static Water Level 34'	ft.	
	Measured pumping level 38'	ft. after		
	2 hrs. pumping	15 gpm		
Finish	Development time prior to testing 1 1/2 hours			
	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.			
	Interval(s) screened: 39' to 43' ft.			
	to _____ to _____ ft.			
Casing	Packer(s) set at 38' and _____ ft.			
	Screen: diam. 2" ; Size openings #10			
	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings
Quality	*Couplings: Threaded & Coupled (T&C), Welded (W) PWC Threaded & coupled & welded (TC&W)			
	Other: _____			
	*Pipe: Black PVC; Galv.; Other: _____			
Water analysis obtained? (check)		<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical		
Analysis by:		<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.		
Signed:		Pal R. Fryfogel		

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

✓ CARL'S WELL SER. 301 BUCKATUNNA MS. 39229 6/1/94
 DRILLING CONTRACTOR License Number Address Zip Code Date
ANGELYNE LOOK RT. 1 BOX 120 TIBBIE AL. 36523
 PROPERTY OWNER Address (mailing) W. Zip Code
WASHINGTON 32 N. 5N 2W
 WELL LOCATION 3 m. E. T. B. B. 6 1/4 Section Township Range ---or:
 Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply
☐ Public supply
☐ Industrial supply
☐ Test well
☐ Irrigation Other: _____

6/1/94

Estimated starting date

Drilling method: (check)

☒ Cable tool
☐ Rotary
☐ Jetted
☐ Bored

Other: _____

2" Diameter of well
 120' Estimated depth

Libert Cam
 SIGNATURE of Drilling Contractor

Total Depth 150'

Completion Date 6/1/94

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
7	TOP 30.1 x VEL. SD			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
15	VEL. WH. CLAY				Intake depth <u>90</u> H.P. <u>1</u> Yield <u>8</u> gpm				
16	VEL. SP. RK.			Capacity	Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
18	WH. CLAY				Measured Static Water Level <u>72</u> ft.				
22	VEL. SD.				Measured pumping level <u>80</u> ft. after				
25	SN. WH. SD.				<u>1</u> hrs. pumping <u>8</u> gpm				
27	SN. MP. SD.			Development time prior to testing <u>1/2</u> hrs.					
45	VEL. CLAY								
47	SN. SD.			Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
48	ROCK				Interval(s) screened: <u>145</u> to <u>150</u> ft.				
52	BL. WH. CLAY				_____ to _____; _____ to _____ ft.				
92	SR. CLAY				Packer(s) set at _____ and _____ ft.				
93	SR. SD. CLAY			Screen: diam. <u>2" PVC</u> ; Size openings <u>6</u>					
100	SN. WH. SD. CLAY								
131	BL. SR. CLAY			Casing	Interval cased <u>145</u>	Diam. (Inches) <u>2</u>	*Type pipe <u>PVC</u>	*Type couplings <u>BELL</u>	Interval grouted <u>20'</u>
137	SN. T. SH. SD.								
140	BL. CLAY								
150	SN. SD.								
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
					Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.					
				Signed: _____					

*For deeper well please attach continuation sheet.